

<center>Montenegro, Budva, Becici, 28 september - 02 october 2015</center>



Contribution ID: 15

Type: **not specified**

DeLiDAQ-2D ☒ a new data acquisition system for position-sensitive neutron detectors with delay-line readout

Tuesday, 29 September 2015 16:25 (15 minutes)

Frank laboratory of Neutron Physics, Joint Institute for Nuclear Research, Dubna, Russia

Software for a data acquisition system of modern one- and two-dimensional position-sensitive detectors with

The DeLiDAQ-2D module [2] contains an 8-channel time-code converter (TDC-GPX) with a time resolution of

The DeLiDAQ-2D module can operate in two modes: histogram mode (on-line sorting and accumulation of spectra)

1.Sonix+, <http://sonix.jinr.ru>

2.A.Belushkin et al. 2D Position-sensitive detector for thermal neutrons. Proceedings of the XXI International Symposium on Nuclear Electronics & Computing, NEC'2007., JINR E10,11-2007-119, Dubna, 2008, p.p. 116-120.

Primary author: Dr LEVCHANOVSKIY, Feodosiy (JINR)

Co-author: Ms MURASHKEVICH, Svetlana (JINR)

Presenter: Ms MURASHKEVICH, Svetlana (JINR)

Session Classification: Triggering, Data Acquisition, Control Systems