



The Higgs boson is found: What is next?



Dmitry Kazakov



Bogoliubov Laboratory of Theoretical Physics
Joint Institute for Nuclear Research (Dubna)



Moscow Institute of Physics and Technology


SU(3)

U(1)

Particles

The Standard Model

SU(2)



The Higgs boson



Gravity

SU₃


U(1)

Particles

The Higgs boson

The Standard Model

SU₂



The Standard Model

The Standard Model

- The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!

The Standard Model

- ➊ The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!
- ➋ Neutrino oscillations require (probably) just minor modifications of the model.

The Standard Model

- The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!
- Neutrino oscillations require (probably) just minor modifications of the model.
- There are 5 fundamental forces of Nature with carriers having spin 0, 1 and 2!

The Standard Model

- The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!
- Neutrino oscillations require (probably) just minor modifications of the model.
- There are 5 fundamental forces of Nature with carriers having spin 0, 1 and 2!
- New precision measurements of flavour changing processes and the processes with CP violation passed all tests!

The Standard Model

- The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!
- Neutrino oscillations require (probably) just minor modifications of the model.
- There are 5 fundamental forces of Nature with carriers having spin 0, 1 and 2!
- New precision measurements of flavour changing processes and the processes with CP violation passed all tests!

Is it the end of a story or a step forward?

The Standard Model

- The Standard Model of strong, weak and electromagnetic interactions describes quantitatively practically all existing data!
- Neutrino oscillations require (probably) just minor modifications of the model.
- There are 5 fundamental forces of Nature with carriers having spin 0, 1 and 2!
- New precision measurements of flavour changing processes and the processes with CP violation passed all tests!


Is it the end of a story or a step forward?

● This is the beginning of a new research program with decades to go.


The Standard Model of Fundamental Interactions



New particles and Interactions




The Higgs Sector



The Higgs Sector

- Is it the Higgs boson? - Almost sure





The Higgs Sector

- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so

The Higgs Sector


- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so
- Are there alternatives? - Yes






The Higgs Sector

- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so
- Are there alternatives? - Yes
- Can it be that we see more than one Higgs boson? - May be



The Higgs Sector


- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so
- Are there alternatives? - Yes
- Can it be that we see more than one Higgs boson? - May be
- Can one get confident answers to these questions? - Yes



The Higgs Sector

- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so
- Are there alternatives? - Yes
- Can it be that we see more than one Higgs boson? - May be
- Can one get confident answers to these questions? - Yes

New experiments at the LHC 14 and at new accelerators (if built) will allow one to answer these questions with enough precision



The Higgs Sector

- Is it the Higgs boson? - Almost sure
- Is it the Higgs boson of the Standard Model? - It seems so
- Are there alternatives? - Yes
- Can it be that we see more than one Higgs boson? - May be
- Can one get confident answers to these questions? - Yes

New experiments at the LHC 14 and at new accelerators (if built) will allow one to answer these questions with enough precision


We have got the confirmation that particles obtain their masses as a result of interaction with the Brout-Englert-Higgs field (whatever model the Higgs boson belongs to)

The Higgs Sector: Alternatives

Model	Particle content
SM	h CP-even
2HDM/MSSM	h, H CP-even A CP-odd H^\pm
NMSSM	H_1, H_2, H_3 CP-even A_1, A_2 CP-odd H^\pm
Composite	h CP-even + excited states


The Higgs Sector: Alternatives

Model	Particle content
SM	h CP-even
2HDM/MSSM	h, H CP-even A CP-odd H^\pm
NMSSM	H_1, H_2, H_3 CP-even A_1, A_2 CP-odd H^\pm
Composite	h CP-even + excited states



The Higgs Sector: Alternatives


Model	Particle content
SM	h CP-even
2HDM/MSSM	h, H CP-even A CP-odd H^\pm
NMSSM	H_1, H_2, H_3 CP-even A_1, A_2 CP-odd H^\pm
Composite	h CP-even + excited states



It may well be that we see one of these states

The Higgs Sector: Alternatives



Model	Particle content
SM	h CP-even
2HDM/MSSM	h, H CP-even A CP-odd H^\pm
NMSSM	H_1, H_2, H_3 CP-even A_1, A_2 CP-odd H^\pm
Composite	h CP-even + excited states



It may well be that we see one of these states

One has to check the presence or absence of heavy Higgs bosons

Precision Physics of the Higgs bosons




$\rightarrow q\bar{q}\ell^+\ell^-$

$\Delta m_H = 40$ MeV

$\rightarrow W^+W^-\ell^+\ell^-$

$\Delta m_H = 70$ MeV


Precision Physics of the Higgs bosons



$ee \rightarrow HZ$ diff. decay channels

$\rightarrow W^+W^-q\bar{q}$

Int Linear
Collider




$\rightarrow q\bar{q}\ell^+\ell^-$

$\Delta m_H = 40$ MeV

$\rightarrow W^+W^-\ell^+\ell^-$

$\Delta m_H = 70$ MeV


Precision Physics of the Higgs bosons



ee -> HZ diff. decay channels

Int Linear Collider

$\rightarrow W^+W^-q\bar{q}$



$\rightarrow q\bar{q}\ell^+\ell^-$


$\Delta m_H = 40 \text{ MeV}$

$\rightarrow W^+W^-\ell^+\ell^-$

$\Delta m_H = 70 \text{ MeV}$


Coupling Precision

LHC 300 $\text{fb}^{-1} \times 2$




Coupling Precision

ILC




Precision Physics of the Higgs bosons



ee -> HZ diff. decay channels

Int Linear Collider

$\rightarrow W^+W^-q\bar{q}$



$\rightarrow q\bar{q}\ell^+\ell^-$


$\Delta m_H = 40 \text{ MeV}$

$\rightarrow W^+W^-\ell^+\ell^-$

$\Delta m_H = 70 \text{ MeV}$


Coupling Precision

LHC 300 $\text{fb}^{-1} \times 2$




Coupling Precision

ILC



SUSY or 2HDM

ILC



The Mass Spectrum and Mixing

The Mass Spectrum and Mixing

- Mass spectrum?

The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{quark} = y_{quark} \cdot v$$

$$m_{lepton} = y_{lepton} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$

$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$

$$m_H = \sqrt{\lambda} \cdot v$$

SM

$$m_\gamma = 0$$

$$m_{gluon} = 0$$

The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$

$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$


$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$

$$m_H = \sqrt{\lambda} \cdot v$$

SM

$$m_\gamma = 0$$

$$m_{\text{gluon}} = 0$$



The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$

$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$

$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$


$$m_H = \sqrt{\lambda} \cdot v$$

SM

$$m_\gamma = 0$$

$$m_{\text{gluon}} = 0$$

- Mixing Matrices?



The Mass Spectrum and Mixing

- Mass spectrum?


$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$
$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$
$$m_W = g/\sqrt{2} \cdot v$$
$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$
$$m_H = \sqrt{\lambda} \cdot v$$

SM $m_\gamma = 0$

$$m_{\text{gluon}} = 0$$

- Mixing Matrices?

- Quark-Lepton Symmetry



The Mass Spectrum and Mixing

- Mass spectrum?


$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$
$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$
$$m_W = g/\sqrt{2} \cdot v$$
$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$
$$m_H = \sqrt{\lambda} \cdot v$$

SM $m_\gamma = 0$

$$m_{\text{gluon}} = 0$$

- Mixing Matrices?

- Quark-Lepton Symmetry
- Strong difference in parameters



The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$

$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$


$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$

$$m_H = \sqrt{\lambda} \cdot v$$

SM


$$m_\gamma = 0$$

$$m_{\text{gluon}} = 0$$



- Mixing Matrices?

- Quark-Lepton Symmetry
- Strong difference in parameters



The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$

$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$


$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$

$$m_H = \sqrt{\lambda} \cdot v$$

SM


$$m_\gamma = 0$$

$$m_{\text{gluon}} = 0$$



- Mixing Matrices?

- Quark-Lepton Symmetry
- Strong difference in parameters



- What are the CKM and PMNS phases?

The Mass Spectrum and Mixing

- Mass spectrum?

$$m_{\text{quark}} = y_{\text{quark}} \cdot v$$

$$m_{\text{lepton}} = y_{\text{lepton}} \cdot v$$

$$m_W = g/\sqrt{2} \cdot v$$


$$m_Z = \sqrt{g^2 + g'^2}/\sqrt{2} \cdot v$$

$$m_H = \sqrt{\lambda} \cdot v$$

SM


$$m_\gamma = 0$$

$$m_{\text{gluon}} = 0$$



- Mixing Matrices?

- Quark-Lepton Symmetry
- Strong difference in parameters



- What are the CKM and PMNS phases?
- Where lies the source of CP violation: in quark or lepton sector?

Neutrino Sector

This page contains information about the Neutrino Sector.


For more information, see the [Neutrino Sector page](#).

Neutrino Sector

Neutrino masses


Neutrino Sector

Neutrino masses




Neutrino Sector

Neutrino masses



Neutrino Sector

Neutrino masses




$$\sum m_\nu < 0.23 \text{ eV}$$

cosmology: the CMB spectrum

Planck

Neutrino Sector

Neutrino masses



$$\sum m_\nu < 0.23 \text{ eV}$$

cosmology: the CMB spectrum


Planck

$$m_{\nu_e} < 2 \text{ eV}$$

β -decay
Troitsk-Mainz

Neutrino Sector

Neutrino masses



$$\sum m_\nu < 0.23 \text{ eV}$$

cosmology: the CMB spectrum

Planck

$$m_{\nu_e} < 2 \text{ eV}$$

β -decay
Troitsk-Mainz

$$m_{\nu_e} < 0.2 \text{ eV}$$

KATRIN

Neutrino Sector

Dirac or Majorana?

$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

Neutrino Sector

Dirac or Majorana?

$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$

$$m_{\nu_L} = m_{\nu_R}$$

Neutrino Sector

Dirac or Majorana?

$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$

$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

Neutrino Sector

Dirac or Majorana?

$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

Neutrino Sector

Dirac or Majorana?

$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay

Neutrino Sector

Dirac or Majorana?


$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

0νββ decay



Neutrino Sector

Dirac or Majorana?


$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

0νββ decay



Neutrino Sector

Dirac or Majorana?


$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay



Neutrino Sector

Dirac or Majorana?



$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^*$$
$$m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^*$$
$$m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay



Neutrino Sector

Dirac or Majorana?




$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^* \\ m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^* \\ m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay



Candidate Isotope	Experiment
^{48}Ca	Candles
^{76}Ge	Gerda , Majorana
^{82}Se	SuperNemo, Lucifer
^{130}Te	CUORE
^{136}Xe	EXO , NEXT, KamLAND-Zen
^{150}Nd	SNO+

Neutrino Sector

Dirac or Majorana?




$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^* \\ m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^* \\ m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay



Candidate Isotope	Experiment
^{48}Ca	Candles
^{76}Ge	Gerda , Majorana
^{82}Se	SuperNemo, Lucifer
^{130}Te	CUORE
^{136}Xe	EXO , NEXT, KamLAND-Zen
^{150}Nd	SNO+

$$T_{1/2} 2\nu\beta\beta (^{136}\text{Xe}) \times 10^{21} \text{ yr} = \\ 2.23 \pm 0.017 \text{ stat} \pm 0.22 \text{ sys}$$

Neutrino Sector

Dirac or Majorana?




$$\nu_D = \begin{pmatrix} \nu_L \\ \nu_R \end{pmatrix} \quad \nu_{M_1} = \begin{pmatrix} \xi_1 \\ \xi_1^* \end{pmatrix}, \quad \nu_{M_2} = \begin{pmatrix} \xi_2 \\ \xi_2^* \end{pmatrix}$$

$$\nu_D \neq \nu_D^* \\ m_{\nu_L} = m_{\nu_R}$$



$$\nu_M = \nu_M^* \\ m_{\nu_{M_1}} \neq m_{\nu_{M_2}}$$

$0\nu\beta\beta$ decay



Candidate Isotope	Experiment
^{48}Ca	Candles
^{76}Ge	Gerda, Majorana
^{82}Se	SuperNemo, Lucifer
^{130}Te	CUORE
^{136}Xe	EXO, NEXT, KamLAND-Zen
^{150}Nd	SNO+


$$T_{1/2} 2\nu\beta\beta (^{136}\text{Xe}) \times 10^{21} \text{ yr} = \\ 2.23 \pm 0.017 \text{ stat} \pm 0.22 \text{ sys}$$

$$T_{1/2} 0\nu\beta\beta (^{136}\text{Xe}) \times 10^{25} \text{ yr} \\ > 1.6 \text{ (90\% CL)}$$

Flavour Sector


Flavour Sector

- Number of Generations?




Flavour Sector

- Number of Generations?




- The width of the Z-boson (LEP)




Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)




- The CMB spectrum (Planck)




$$N_{\nu}^{eff} = 3.52 \pm 0.47$$

Flavour Sector

- Number of Generations?




- The width of the Z-boson (LEP)



- Why 3 copies?


- The CMB spectrum (Planck)




$$N_\nu^{eff} = 3.52 \pm 0.47$$

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)




- The CMB spectrum (Planck)




- Why 3 copies?
- The necessary condition for the baryon asymmetry of the Universe - CP violation

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)




- The CMB spectrum (Planck)




- Why 3 copies?
- The necessary condition for the baryon asymmetry of the Universe - CP violation
- CP in the SM comes from the non-zero phase in the quark (and lepton) mixing matrices

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)



- The CMB spectrum (Planck)




- Why 3 copies?


- The necessary condition for the baryon asymmetry of the Universe - CP violation
- CP in the SM comes from the non-zero phase in the quark (and lepton) mixing matrices
- Non-zero phase appears only if the number of generations $N \geq 3$

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)



- The CMB spectrum (Planck)



$$N_{\nu}^{\text{eff}} = 3.52 \pm 0.47$$


- Why 3 copies?

- The necessary condition for the baryon asymmetry of the Universe - CP violation
- CP in the SM comes from the non-zero phase in the quark (and lepton) mixing matrices
- Non-zero phase appears only if the number of generations $N \geq 3$


$$K = \begin{pmatrix} V_{ud} & V_{us} & V_{ub} \\ V_{cd} & V_{cs} & V_{cb} \\ V_{td} & V_{ts} & V_{tb} \end{pmatrix} = \begin{pmatrix} c_{12}c_{13} & s_{12}c_{13} & s_{13}e^{-i\delta} \\ -s_{12}c_{23} - c_{12}s_{23}s_{13}e^{i\delta} & c_{12}c_{23} - s_{12}s_{23}s_{13}e^{i\delta} & s_{23}c_{13} \\ s_{12}s_{23} - c_{12}c_{23}s_{13}e^{i\delta} & -c_{12}s_{23} - s_{12}c_{23}s_{13}e^{i\delta} & c_{23}c_{13} \end{pmatrix}$$

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)



- The CMB spectrum (Planck)




- Why 3 copies?

- The necessary condition for the baryon asymmetry of the Universe - CP violation
- CP in the SM comes from the non-zero phase in the quark (and lepton) mixing matrices
- Non-zero phase appears only if the number of generations $N \geq 3$


$$K = \begin{pmatrix} V_{ud} & V_{us} & V_{ub} \\ V_{cd} & V_{cs} & V_{cb} \\ V_{td} & V_{ts} & V_{tb} \end{pmatrix} = \begin{pmatrix} c_{12}c_{13} & s_{12}c_{13} & s_{13}e^{-i\delta} \\ -s_{12}c_{23} - c_{12}s_{23}s_{13}e^{i\delta} & c_{12}c_{23} - s_{12}s_{23}s_{13}e^{i\delta} & s_{23}c_{13} \\ s_{12}s_{23} - c_{12}c_{23}s_{13}e^{i\delta} & -c_{12}s_{23} - s_{12}c_{23}s_{13}e^{i\delta} & c_{23}c_{13} \end{pmatrix}$$

Flavour Sector


- Number of Generations?



- The width of the Z-boson (LEP)



- The CMB spectrum (Planck)





- Why 3 copies?

- The necessary condition for the baryon asymmetry of the Universe - CP violation
- CP in the SM comes from the non-zero phase in the quark (and lepton) mixing matrices
- Non-zero phase appears only if the number of generations $N \geq 3$

$$K = \begin{pmatrix} V_{ud} & V_{us} & V_{ub} \\ V_{cd} & V_{cs} & V_{cb} \\ V_{td} & V_{ts} & V_{tb} \end{pmatrix} = \begin{pmatrix} c_{12}c_{13} & s_{12}c_{13} & s_{13}e^{-i\delta} \\ -s_{12}c_{23} - c_{12}s_{23}s_{13}e^{i\delta} & c_{12}c_{23} - s_{12}s_{23}s_{13}e^{i\delta} & s_{23}c_{13} \\ s_{12}s_{23} - c_{12}c_{23}s_{13}e^{i\delta} & -c_{12}s_{23} - s_{12}c_{23}s_{13}e^{i\delta} & c_{23}c_{13} \end{pmatrix}$$




- The fourth generation is excluded also by precision measurement of rare decays

Dark Matter



- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe




Dark Matter



Dark matter is made of:
Macro objects- not observed
New neutral particles

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter



- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

WIMP = Weakly Interacting Massive Particle




A good argument for new physics at the TeV scale
but not fully compelling: DM could well be axions

For WIMPs in thermal equilibrium after inflation

$$\langle \sigma_{\text{ann}} v \rangle \simeq 3 \times 10^{-26} \text{ cm}^3 \text{s}^{-1}$$

EW x-section for particle with $M \sim 10^{2-3}$ GeV




Dark Matter



Dark matter is made of:
Macro objects- not observed
New neutral particles

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter






Dark matter is made of:
Macro objects- not observed
New neutral particles

- right-handed neutrino

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter





Dark matter is made of:

- Macro objects- not observed
- New neutral particles

- right-handed neutrino
- neutralino

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter





Dark matter is made of:
Macro objects- not observed
New neutral particles

- right-handed neutrino
- neutralino
- sneutrino

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter






- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark matter is made of:

- Macro objects- not observed
- New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)

Dark Matter






Dark matter is made of:
Macro objects- not observed
New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter






- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark matter is made of:
 • Macro objects- not observed
 • New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon

Dark Matter






Dark matter is made of:
 • Macro objects- not observed
 • New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark Matter



- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe




Dark matter is made of:
 Macro objects- not observed
 New neutral particles

-
-

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

?

Dark Matter



Dark matter is made of:

Macro objects- not observed




New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

The only candidate at the scale structure of the Universe
in the SM

?

Dark Matter



Dark matter is made of:

Macro objects- not observed

New neutral particles

- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

The only candidate in the SM




?

The main candidate in MSSM

- rotation curves of stars
- gravitational lensing

• large scale structure of the Universe

Dark Matter




- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark matter is made of:
 ○ Macro objects- not observed
 ○ New neutral particles



- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

?



The structure of the DM halo in Milky Way

Dark Matter




- rotation curves of stars
- gravitational lensing
- large scale structure of the Universe

Dark matter is made of:
Macro objects- not observed
New neutral particles


- right-handed neutrino
- neutralino
- sneutrino
- axion (axino)
- gravitino
- heavy photon
- light sterile Higgs

?




The structure of the DM halo in Milky Way


Search for the Dark Matter



Search for the Dark Matter




Annihilation
in halo




Search for the Dark Matter


Scattering
on a target



R. Kolb
CERN Acad. Lectures




Annihilation
in halo




Search for the Dark Matter

Scattering
on a target






R. Kolb
CERN Acad. Lectures




Annihilation
in halo

Creation at
the LHC




Search for the Dark Matter

Scattering
on a target






R. Kolb
CERN Acad. Lectures




Annihilation
in halo

Creation at
the LHC





The signal is absent so far!



New Particles and Interactions



New Particles and Interactions





New Particles and Interactions



Supersymmetry is a dream of a unified theory of all particles and interactions


New Particles and Interactions




	Дальнодействующее (с безмассовым бозоном)	Короткодействующее (с массивными бозонами)	"Конфайнментовое"
Спин 0 (скалярные поля)		Хиггсовское $V(r) \sim \frac{A}{r} e^{-Br}$	
Спин 1 (векторные поля)	Электромагнитное $V(r) \sim \frac{A}{r}$	Слабое $V(r) \sim \frac{A}{r} e^{-Br}$	Сильное $V(r) \sim \frac{A}{r} + Cr$
Спин 2 (тензорные поля)	Гравитационное $V(r) \sim \frac{A}{r}$		

Supersymmetry is a dream of a unified theory of all particles and interactions


New Particles and Interactions



New Particles and Interactions




New Particles and Interactions




Creation and decay of superpartners @ LHC

weak int's




Strong int's




Typical SUSY signature: missing energy and transverse momentum

Creation and decay of superpartners @ LHC

weak int's




Strong int's




Typical SUSY signature: missing energy and transverse momentum

Creation and decay of superpartners @ LHC

weak int's




Strong int's




Typical SUSY signature: missing energy and transverse momentum

Creation and decay of superpartners @ LHC

weak int's




Strong int's




Typical SUSY signature: missing energy and transverse momentum

Search for Supersymmetry @ LHC




Strongly interacting particles

Search for Supersymmetry @ LHC



Strongly interacting particles

Search for Supersymmetry @ LHC



CMS gluino-induced stop production

CMS Preliminary

$\sqrt{s} = 8 \text{ TeV}$

Moriond 2013

- Observed (red solid)
- Observed -1σ SUSY theory (green dotted)
- Expected (black dashed)

ATLAS direct stop production

ATLAS Preliminary

$L_{\text{int}} = 13 \text{ fb}^{-1}, \sqrt{s}=8 \text{ TeV}$

$L_{\text{int}} = 4.7 \text{ fb}^{-1}, \sqrt{s}=7 \text{ TeV}$

Legend for stop mass hypotheses:


- $\tilde{t}_1 \rightarrow t \tilde{\chi}_1^0 + 5 \text{ GeV}$
- $m_{\tilde{\chi}_1^0} = 105 \text{ GeV}$
- $m_{\tilde{\chi}_1^0} = 150 \text{ GeV}$
- $m_{\tilde{\chi}_1^0} = m_t - 10 \text{ GeV}$
- $m_{\tilde{\chi}_1^0} = 2 \times m_{\tilde{\chi}_1^0}$

Observed limits (solid black), Observed limits ($-1\sigma_{\text{theo}}$) (dashed black), Expected limits (dotted black)

Tremendous progress of the LHC on SUSY searches is disappointing so far.

Strongly interacting particles

Search for Supersymmetry @ LHC



CMS gluino-induced stop production

CMS Preliminary

$\sqrt{s} = 8 \text{ TeV}$
Moriond 2013

Observed
Observed -1σ SUSY theory
Expected

ATLAS direct stop production

ATLAS Preliminary

$L_{\text{int}} = 13 \text{ fb}^{-1}$, $\sqrt{s} = 8 \text{ TeV}$
 $L_{\text{int}} = 4.7 \text{ fb}^{-1}$, $\sqrt{s} = 7 \text{ TeV}$

1L ATLAS-CONF-2012-166
0L ATLAS-CONF-2013-001
-
1L ATLAS-CONF-2012-166
2L ATLAS-CONF-2012-167
1L ATLAS-CONF-2012-166
1-2L [1208.2102]


Observed limits
Observed limits ($-1\sigma_{\text{theo}}$)
Expected limits

Tremendous progress of the LHC on SUSY searches is disappointing so far.

Looking in wrong place?

Strongly interacting particles

Search for Supersymmetry @ LHC



CMS gluino-induced stop production

CMS Preliminary

$\sqrt{s} = 8 \text{ TeV}$
Moriond 2013

Observed
Observed -1σ SUSY theory
Expected

ATLAS direct stop production

ATLAS Preliminary


$L_{\text{int}} = 13 \text{ fb}^{-1}, \sqrt{s}=8 \text{ TeV}$
 $L_{\text{int}} = 4.7 \text{ fb}^{-1}, \sqrt{s}=7 \text{ TeV}$

Observed limits
Observed limits $(-\alpha_{\text{theo}})$
Expected limits

Tremendous progress of the LHC on SUSY searches is disappointing so far.

Looking in wrong place?

Search for Supersymmetry @ LHC



CMS gluino-induced stop production

CMS Preliminary

$\sqrt{s} = 8 \text{ TeV}$

Moriond 2013

Observed, Observed -1σ SUSY theory, Expected

ATLAS direct stop production

ATLAS Preliminary

$L_{\text{int}} = 13 \text{ fb}^{-1}, \sqrt{s}=8 \text{ TeV}$

$L_{\text{int}} = 4.7 \text{ fb}^{-1}, \sqrt{s}=7 \text{ TeV}$

1L ATLAS-CONF-2012-166, 0L [1208.1447], 1L [1208.2590], 2L [1209.4186]

0L ATLAS-CONF-2013-001, -

2L [1208.4305], 1-2L [1209.2102]

1L ATLAS-CONF-2012-166, 2L ATLAS-CONF-2012-167, 1L ATLAS-CONF-2012-166, 1-2L [1209.2102]

Observed limits, Observed limits ($-1\sigma_{\text{theo}}$), Expected limits


Tremendous progress of the LHC on SUSY searches is disappointing so far.

Looking in wrong place?



Still have not reached the the right mass interval?

Strongly interacting particles

Search for Supersymmetry @ LHC



Weakly interacting particles








Strongly interacting particles

Tremendous progress of the LHC on SUSY searches is disappointing so far.

Looking in wrong place?

Still have not reached the the right mass interval?

Search for Supersymmetry @ LHC



Tremendous progress of the LHC on SUSY searches is disappointing so far.



Looking in wrong place?

Still have not reached the the right mass interval?




Strongly interacting particles

Weakly interacting particles

Search for Supersymmetry @ LHC



1. Still no sign of SUSY
2. The obtained constraints are model dependent



Tremendous progress of the LHC on SUSY searches is disappointing so far.


Looking in wrong place?

Still have not reached the the right mass interval?


Strongly interacting particles

Weakly interacting particles


Search for Supersymmetry @ LHC




Search for Supersymmetry @ LHC



A Natural Spectrum



Search for Supersymmetry @ LHC



Forward into the Future

Forward into the Future

The research program for the coming years

Forward into the Future

The research program for the coming years

Forward into the Future

The research program for the coming years

I.The study of the properties of the new scalar particle with maximal possible precision

Forward into the Future

The research program for the coming years

1. The study of the properties of the new scalar particle with maximal possible precision
2. The search for any possible deviations from the SM indicating to existence of a new physics

Forward into the Future

The research program for the coming years

1. The study of the properties of the new scalar particle with maximal possible precision
2. The search for any possible deviations from the SM indicating to existence of a new physics

The fulfillment of this program might require the construction of a new electron-positron collider in addition to existing hadron collider.

Forward into the Future

The research program for the coming years

1. The study of the properties of the new scalar particle with maximal possible precision
2. The search for any possible deviations from the SM indicating to existence of a new physics

The fulfillment of this program might require the construction of a new electron-positron collider in addition to existing hadron collider.

We live in exciting time and have a chance to unveil the mystery!